

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: February 24, 1995
Date Received: February 21, 1995
Project: 7238, Metro Self Monitor, PO #M40324
Date Samples Extracted: February 21, 1995

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL AND ZINC
Samples Processed Using Method 3005
Results Reported as mg/L (ppm)**

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M40324	0.41	0.25	0.30	<0.05
<u>Quality Assurance</u>				
Blank	<0.05	<0.05	<0.05	<0.05
M40324 (Duplicate)	0.46	0.28	0.33	0.05
M40324 (Matrix Spike) % Recovery	87%	90%	87%	83% ^{vo}
M40324 (Matrix Spike Duplicate) % Recovery	94%	99%	92%	91%
Spike Blank % Recovery	101%	109%	101%	97%
Spike Level	5	5	10	5



^{vo} Value reported fell outside the control limits established for this analyte.

62 BAB AI
02.21.95
8:47

Send Report To: ALASKAN Copper Works Contact: GERALD Thompson
Company _____
Address: 628 Harvard ST
City, State, Zip: Seattle WA 98134
Phone # (206) 623-5800 X379 Date: 2-27-95

SITE NO.	PROJECT NAME	PURCHASE ORDER #
7238	Metro Self-monitors	M 40324
SAMPLERS (signature)	PROJECT LOCATION	
<i>[Signature]</i>	3200 6th Ave	
REMARKS	SAMPLE DISPOSAL INFORMATION	
	<input type="checkbox"/> Dispose after 30 days <input checked="" type="checkbox"/> Return Samples <input type="checkbox"/> Call for Instructions	

[illegible]

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: 	GERALD A. Thompson	Alaskan Copper	2/21/95	8:26
Received by: 	CATHY RIGGS	FBI	2-21-95	8:26
Relinquished by:				
Received by:				

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

DUPLICATE COPY

February 24, 1995

INVOICE # 95ACU0224-1

Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

RE: Project 7238, Metro Self Monitor, PO #M40324: Results of testing requested by Gerald Thompson, Project Leader for material submitted on February 21, 1995.

1 water sample analyzed for Chromium, Copper,
Nickel and Zinc @ \$65 per sample

\$ 65.00

Amount Due

\$ 65.00

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

February 24, 1995

Gerald Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134


Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on February 21, 1995 from your 7238, Metro Self Monitor project, PO #M40324.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Bradley T. Benson
Chemist

jdp
Enclosures

ACU0224R

AKC-0013040